

epionce.

Important Post-Procedure Care to Follow

- Continue taking all prescribed medications unless otherwise directed.
- Keep skin hydrated with recommended Epionce® product.
- Let your skin exfoliate naturally. DO NOT pick or peel the affected area, or scarring may occur.
- Avoid prolonged sun exposure and avoid excessive heat, hot rooms and hot water temperature. Use sunscreen as directed.
- Avoid use of Retin-A™ (or similar product) for 48 hours following procedure, unless otherwise recommended.
- You may use an Epionce® Lytic Lotion or MelanoLyte Tx product 24 hours following the procedure if signs of irritation are not present.
- Do not use laser or similar methods of hair removal (wax/depilatories) 48 hours following the procedure.
- If no signs of irritation are present, you may shave treated area 24 hours post-procedure.

What you can expect:

- You may experience a variable amount of stinging and tightness, but these symptoms should subside within 24-48 hours after procedure.
- Temporary skin discoloration, dryness and flaking, specifically around the nose and lips, will occur for 24-48 hours after procedure.
- A mild headache or mild swelling of the treated area (rarely).

Contact your physician or skin care professional if you experience:

- Excessive and/or increasing redness, burning, irritation, extreme tenderness and/or “crusting” of the skin. Nausea, dizziness, disorientation, fever and/or extreme headache